



TYPE APPROVAL CERTIFICATE

Certificate no.:
TAM000013J
Revision No:
2

This is to certify:

that the **Flexible Mounts for Propulsion or Auxiliary Machinery**

with type designation(s)
V11XX, VT41XX, VT42XX, VT44XX, VT46XX, VT4090

issued to

Vibratec Akustikprodukter AB
Blidö, Stockholms Län, Sweden

is found to comply with

DNV rules for classification – Ships
DNV rules for classification – High speed and light craft

Application:

The flexible mounts are approved for use for suspension of diesel engines.

Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV.

Issued at **Hamburg** on **2024-05-16**

for **DNV**

This Certificate is valid until **2029-06-30**.

DNV local unit: **Sweden CMC**

Approval Engineer: **Wolfgang Schütz**

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid. The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and their subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.



Product description

All metal flexible vibration isolators

Application/Limitation

The flexible vibration isolators are approved for suspension of diesel engines, main or auxiliary.

Type Approval documentation

Drawing: DAAF505738 Spring element W46F
Quality instruction, V12L0505
Drawing: DAAE018034 Compression spring AF46
Data sheet for VT4211 – 4213, Data sheet for VT4103 – 4128
Data sheet for V1114, 1115, 1116, 1133, 1134, 1135, 1136
Data sheet for VT4425, VT4430
Data sheet for VT4412-VT4414, Data sheet for VT4421-VT4424
Spring stiffness data given in e-mail from Vibratc dated 04-03-16
Drawing : 0711081DJ Sammanställning Isolator VT41XX (dated 2007-11-19)).
Drawing: 98-0302: 1 rev. D Sammanställning ny marinisolator typ VT421X

Tests carried out

Tests mentioned in type approval documentation

Marking of product

The product to be marked with manufacturer's name or trademark and type number identification

Periodical assessment

For retention of the type approval, a DNV surveyor shall perform an assessment after 2 years and after 3.5 years, to verify that the conditions of the type approval are complied with. A renewal assessment will be performed at renewal of the certificate.

In cases where the type approved product is manufactured at other companies, the periodical assessment shall verify that the type approval applicant has a quality control system for consistent production at their licensees/subcontractors. Furthermore, periodical assessment shall be carried out randomly at these companies.

Other conditions

DNV product certificate is not required.

END OF CERTIFICATE